

Morgana Systems Ltd
3909 Upland Way, Marietta
GA 30066 Georgia
USA

Tel: 866 463 5060
Fax: 770 565 6163

www.morganausa.com
morganausa@comcast.net



8000 Feeder

Setting the standard in paper feeding technology.

Within the industry there has always been a need to feed material in a controlled fashion. Previously many jobs have had to be hand fed. Lamination, inserting machines, sealers to name but a few.

The 8000 Feeder is height adjustable and can be wheeled up and the height adjusted to suit the recipient device. Feeder setup is simplicity itself.

A fully adjustable air system and double detection system enables a steady flow of the media to be released into your chosen device. You can continue to load on the run to increase productivity.

Key product features

- **Powerful suction feeder handles a wide range of paper weights & sizes**
- **Compact footprint**
- **Fully adjustable height**
- **Side lay register system**
- **Speed control**
- **Proven feed technology**
- **Fast make-ready**
- **5500+ sheets per hour**

As the feeder is mobile it can be easily moved to enable other machines to benefit from the feed capabilities of the 8000 Feeder.



8000 Feeder

Setting the standard in paper feeding technology.



technical specifications

Maximum sheet size	25" x 18"
Minimum sheet size	3.54" x 3.93"
Maximum paper weight	0.24" (approx 90 lb cover - varies according to material and grain direction)
Minimum paper weight	0.08" (approx 16lb bond)
Maximum feed height	38.5"
Minimum feed height	31.8"
Maximum speed per hour (A4)	5,500
Feed system	Suction/air feed
Dimensions	L 56.8" x W 24.6" x H 42.7"
Weight	293 lb
Power requirement	240v 50/60hz
Options	Narrow sheet guide

Note: the production speed varies according to material size

*Disclaimer

As part of our continued product improvement plan, specifications and information published here are subject to change without notice.

All specifications are dependent on application, type of stock, temperature, RH and print engine used.

Specifications quoted were measured on uncoated and unprinted stock.

E & OE.